

Bottle Cooler 88L, 28 bottles, glass door



► Storage volume

- ✓ 28 bottles
- ✓ 88 litres

► As an addition for the bottle refrigerator 88L for flexible use

- ✓ Grid shelf FKS 88L

Description

Refrigerator with 88 litres storage volume, for individual use, LED lights can be switched separately and double-glazed door.

Features

• Front pane:	Framed
• Type of glass:	Double glazing
• Power load:	0,085 kW 230 V 50 Hz
• Height-adjustable feet:	No
• Temperature range:	2 °C to 10 °C
• Door hinge side can be changed:	Yes
• Door hinge side:	Right
• Temperature control:	Mechanical
• Coolant:	R600a / 0.025 kg
• Temperature control:	Stepless
• Cooling:	Static
• Interior lighting:	Yes
• Type of door:	Leaf door, glass
• Number of intermediate shelves:	6
• Type of intermediate shelves:	Bottle grille, chrome-plated (5 units) Grille, chrome-plated
• Properties:	Storage capacity: 28 bottles

► Continue on the next page



Bottle Cooler 88L,28bottles,glass door

• Properties:	LED ceiling lights, can be switched separately
• Colour:	Black
• Material:	Plastic
• Important information:	-
• Number of doors:	1
• Lockable:	No
• Content:	88 litre(s)
• Climate class:	SN
• Control lamp:	-
• Digital display:	No
• Height-adjustable intermediate shelves:	No
• Automatic defrosting function:	No
• Drip water evaporation:	No
• ON/OFF switch:	Yes
• Ambient temperature:	10 °C to 32 °C
• Thermostat:	Yes
• Safety glass:	Yes
• GWP:	3
• Material inside:	HIPS (High Impact Polystyrene)
• Control unit:	Knob
• Dimensions of intermediate shelves:	W 294 x D 350 mm
• Energy efficiency class:	G (EU No. 2019 / 2019)
• Energy consumption:	139 kWh / an
• Insulation:	Cyclopentane C5H10
• Advertising display:	-
• With price strips:	No
• Including:	-
• Size:	W 430 x D 480 x H 825 mm
• Weight:	23.4 kg




Bottle Cooler 88L, 28 bottles, glass door

Add on Products

Storage grid FKS 88L

STAINLESS
STEEL



- Important information: -
- Material: Stainless steel
- Size: W 352 x D 360 x H 35 mm
- Weight: 0.67 kg

Code-No. 700087
GTIN 4015613697192